

GLOBAL POSITIONING SYSTEM STATUS

CGSIC 21 September 2010

Mike Manor

Lt Col, United States Air Force Schriever AFB Colorado Springs CO.





- Who We Are
- Constellation Snapshot
- Space Segment
- Ground Segment
- User Segment

2 SOPS

127 Personnel

5 Crews conducting GPS operations

- 7 Military
- 1 Civilian
- Navigation Warfare Officer (NWO) on-call
- GPS User Operations Center (GPSOC)
- AF Technical Application Center (AFTAC) Det 46
- 19 SOPS reserve squadron partner with 2 SOPS
 - Fully integrated into 2 SOPS mission
 - Maintain certified operators in all crew positions
 - Modernization efforts (GPS IIF, OCX, and GPS III)







Constellation Snapshot

31 Operational Satellites (Baseline Constellation: 24)

- 11 Block IIA satellites operational
- 12 Block IIR satellites operational
- 7 Block IIR-M satellites operational
- 1 Block IIF satellite operational
- U.S. Government continuously assessing constellation health to determine launch need
 - Newest satellites launched
 - IIR-20 (M)/SVN 49 -- 24 March 2009
 - IIR-21 (M)/SVN 50 -- 17 August 2009
 - IIF-1/SVN 62 -- 27 May 2010
 - IIF-2 launch scheduled for Feb 2011
- Global GPS civil service performance commitment met continuously since 1993







Space Segment SVN62, SVN49, and SVN 25

IIF SV-1 (SVN 62) launched 27 May 2010 under GPSW Satellite Control Authority (SCA)

- Agreement signed between 50th SW/CC and GPSW/CC laying out the roles and responsibilities during the On-Orbit Test (OOT) period
- GPSW/CC retained SCA during OOT
 - 2/19 SOPS operators perform commanding under GPSW direction
- 50th SW/CC obtained SCA after OOT completion
- SVN 62 set healthy to users on 26 Aug 10, 2210 hrs Mountain Time
- L5, L2C, M-Code, and Flex Power
- SVN 49 remains beneficial for constellation operations but unhealthy to users
 - Vehicle remains unhealthy due to well-documented multipath anomaly
 - 50 SW and GPSW continue mitigation efforts
 - Used for initial capabilities demonstration: L5, OB 12, L2C, and Flex Power

SVN 25 vehicle disposal

- Digital Control Electronics Assembly B-Side failure on 21 Mar 10
- Launched on 18 March 1992, final disposal on 29 Mar 10
- Vehicle was just over 18 years old



Ground Segment

Architectural Evolution Plan (AEP)

- Day-to-Day C2 of 32 Satellites
- 4 Dedicated Ground Antennas and AFSCN Capability
- 6 Dedicated and 10 NGA Monitor Stations
- Operating on version 5.5:
 - Brings SAASM capability on-line
 - Adds Nav Warfare Operator (NWO) position
 - Flex Power Testing

Launch, Anomaly and Disposal Operations (LADO)

- Day-to-Day C2 of 3 Residual SVs (SVNs 32, 35, and 37)
- AFSCN capability only
- Leverage for some vehicle emergencies
- Launch prep and initial post launch operations



User Segment GPSOC Mission

DoD's focal point for operational issues concerning military use of GPS

- Constellation Ops
- User Ops

DoD's interface to military and civil community

- 24/7 support -- 911 for GPS user emergencies
- Solving global GPS user's toughest challenges





Military applications

- Force location
- Navigation
- Force employment
- Weapon guidance
- Satellite positioning
- Comm network timing
- Plus Many Others

Civilian applications

- Aviation / Civil Navigation
- Space Shuttle
- Search and Rescue
- Geodetic Measurements
- Drilling / Mining / Agriculture
- Commercial
- Plus Many Others



Second civil signal "L2C"

- Designed to meet commercial needs
- Provides dual-frequency users with a more robust, coded signal to aid in ionospheric correction
- All 8 IIR (M) satellites and IIF-1 are broadcasting a developmental L2C signal now



Third civil signal "L5"

- Designed to meet demanding requirements for transportation safety-of-life and is available to all users
- Uses highly protected Aeronautical Radio Navigation Service (ARNS) band
- SVN 49 and SVN 62 broadcasting a developmental L5









User Segment Expandable 24

- Optimize GPS assets to improve operational effectiveness for global users & terrain challenged environments
 - Increase the number of vehicles over head for better access/coverage

 Consistent with the current Standard Positioning Service Performance Standard

- Adjust position of satellites in 3 of 6 orbital planes
- Provides better <u>GLOBAL</u> coverage
- Coordinated with international community



Estimated completion date: Jun/Jul 2011

User Segment Expandable 24 (cont.)

10

F6 44 B3 47 E2 20^{-1} Block IIR 48**≰** A4 45 D3 60 ′F4 Block IIR-M () **A**3 Δ **Block IIF** С Ε \rightarrow Rephase B \square F **GPS:** FREE – DEPENDABLE – RELIABLE - ACCURATE





security and stability operations in Afghanistan Lighter Colors = Less Positional Error

GPS: FREE – DEPENDABLE – RELIABLE - ACCURATE

Locations of embedded US/Allied forces supporting







Expandable 24 Constellation



> 12.0

9.0 - 12.0

6.0 - 9.0 4.0 - 6.0

2.0 - 4.0

0.0 - 2.0



U.S. AIR FORCE

Sustaining capabilities for civil and military users worldwide

- Maintain ground systems/on-orbit satellites, launch new satellites
- Fielding GPS enhancements
- Modernizing constellation with new signals and capabilities
 - New civil and military GPS signals and control capabilities
 - Continuing work with international GNSS community
 - Maintains Backward Compatibility
- Managing GPS systems and supporting stakeholders

Committed to responsible stewardship of GPS as a global utility