


A photograph of a pine forest. The sun is shining brightly from the upper left, creating a lens flare effect. The trees are tall and thin, with green needles. In the foreground, there is a field of tall, dry grass. The text "Mapping the Vegetation of Texas" is overlaid in the center in white, bold font.

Mapping the Vegetation of Texas

Background

- TPWD wants better land cover for Texas
 - More land cover classes
 - Better spatial resolution
 - Better accuracy (overall 85%)
 - Better ecological interpretation
- Partners Required!
 - MoRAP, University of Missouri
 - TNC, Texas
 - NatureServe, Southeast Region
 - TNRIS
 - NRCS, TXFS, USFWS, others

Ecological Mapping Systems of Texas



Phase LPC
Available Now

Phase 6
September
2013

Phase 1
Available Now

Phase 2
Available Now

Phase 5
September 2012

Phase 4
Available Now

Phase 3
Available Now

3-date TM
Satellite Imagery
(30m resolution)

Training data from
air photos plus
ground data

Land use data (NRCS
Common Land Units)

Classify Land Cover
(e.g. grassland)

Draft Mapping Targets
(NatureServe Ecological
Systems)

Assign Information using soils,
ecoregions, geology, ecological site
type, hydrology, slop, aspect, &
elevation ("modeling")

Create Map with Named Mapping Units
(e.g. Southeastern Great Plains Tallgrass Prairie)

Provide Interpretation of Mapping Units
(booklet, summary statistics by ecoregion, etc.)

Design and Execute Presentation

Ecological Systems

Ecological System

East-Central Texas Plains Post Oak Savanna and Woodland

Mapping Targets/Subsystems

Post Oak Savanna: Post Oak Motte and Woodland

Post Oak Savanna: Post Oak / Redcedar Motte and Woodland

Post Oak Savanna: Post Oak / Yaupon Motte and Woodland


Post Oak Savanna: Oak / Hardwood Slope Forest

Post Oak Savanna: Live Oak Motte and Woodland

Post Oak Savanna: Savanna Grassland

Post Oak Savanna: Oak / Redcedar Slope Forest

Post Oak Savanna: Redcedar Slope Forest




Field Data Collection


- Roadside survey
- GPS Location (Lat/Long)
- Attributes
 - Land Cover
 - i.e.: grassland, shrubland
 - Percent cover
 - Woody components
 - CEG , BLEG
 - tree, shrub
 - Herbaceous
 - Dominant Species
 - “top three” species
 - trees, shrubs, herbaceous
 - Ecological Systems/Subsystems



Layers

- FieldData
- MappingPhase_1_CntyBnd
- draft_052808_2_se5.img
- p1_comm_eo
- MappingPhase_1_TigerRd
- MappingPhase_1_Bnd
- WRLAdata_Clip
 - MLRANAME
 - Central Rolling Red Plains
 - Central Rolling Red Prairies
 - East Cross Timbers
 - Edwards Plateau
 - Grand Prairie
 - Northern Rio Grande Plain
 - Texas Blackland Prairie
 - Texas Central Basin
 - Texas Claypan Area
 - Texas North-Central Prairies
 - West Cross Timbers
 - Western Coastal Plain





PARKER

71

70

69


68

67



Layers


- FieldData
- MappingPhase_1_CntyBnd
- naip_1-1_1c_s_bx367_2004_1.sid
 - RGB
 - Red: Band_1
 - Green: Band_2
 - Blue: Band_3
- draft_052808_2_se5.img
- p1_comm_eo
- MappingPhase_1_TigerRd
- MappingPhase_1_Bnd
- MRLAdata_Clip
 - MLRANAME
 - Central Rolling Red Plains
 - Central Rolling Red Prairies
 - East Cross Timbers
 - Edwards Plateau
 - Grand Prairie
 - Northern Rio Grande Plain
 - Texas Blackland Prairie
 - Texas Central Basin
 - Texas Claypan Area
 - Texas North-Central Prairies
 - West Cross Timbers
 - Western Coastal Plain



Attributes


IData	Property	Value
Southwestern Great Plains Tallgrass	OBJECTID	1791
	SampleDate	10/15/2007
	TeamLead	Amie Treuer
	SiteID	70
	PhotoID	70
	EcoSysName	Southeastern Great Plains Tallgrass Prairie
	EcoSysConf	High
	LandCover	Grassland
	Woody_PC	6-25
	BLEG_PC	
	CEG_PC	0-5
	Tree_PC	0-5
	Shrub_PC	6-25
	Herb_PC	76-100
	Tree_1	Prosopis glandulosa
	Tree_2	
	Tree_3	
	Shrub_1	Prosopis glandulosa
	Shrub_2	Opuntia engelmannii
	Shrub_3	Juniperus ashei
	Herb_1	Schizachyrium scoparium
	Herb_2	Bouteloua curtipendula
	Herb_3	Sorghastrum nutans
	Soil_Text	Rock
	Soil_Color	Brown
	Notes	

1 features





Initial Classification of Pixels


- Create a land cover raster by coding each pixel with a value that represents the land cover type over the majority of that cell's area
- When finished, every cell will have a coded value
- Average TM scene is about 34.9×10^6 pixels



W	W	W	G	G
W	W	W	G	G
W	W	W	G	G
G	G	G	G	G
F	G	G	U	U
F	F	G	U	U









Modeling Synopsis

- Examined SSURGO, GAT, Ecological Site Types (ESTs)
- Modeled:
 - Historic vegetation to ESTs and to soils (Ecoclass)
 - Interpretation of current land cover to ESTs and soils (e.g. evergreen forest on site type XX is ZZ mapping system)
- Rules applied: (Decision Tree)
 - Slope, aspect, elevation, landscape position, hydrology, & EPA ecoregion

A remote sensing map showing land cover classification. The map is divided into two main sections by a vertical black line. The left section is labeled 'PARKER' and the right section is labeled 'TARRA'. A pink rectangular box on the left contains the text 'Remote Sensing & Training Data' and 'Classified as Cold Deciduous Forest'. Two red arrows originate from this box: one points diagonally upwards and to the right, and the other points diagonally downwards and to the right. Two red-outlined polygons are also present on the map, one in the upper right and one in the lower right, both pointing towards the right side of the image. The map itself is a complex mosaic of colors representing different land cover types: green for forest, brown for bare soil or low vegetation, yellow for grasslands, and blue for water bodies. The overall appearance is that of a high-resolution satellite or aerial imagery derived map.

Remote Sensing & Training Data
Classified as Cold Deciduous Forest




SSURGO Soils - EcoClass - PE36-52 Loamy Sand
ESD - Historic - Post Oak Woodland




SSURGO Soils - EcoClass - PE40-54 Blackland
ESD - Historic - Tallgrass Prairie







1984 Vegetation Types of Texas




Ecological Systems



Products/Enduring Value

- Potential natural vegetation
- Existing vegetation using an improved classification
- Interpretive Booklet
 - Topo-sequences / landscape profiles of potential and existing vegetation
 - Interpretation of the current land cover (e.g. dynamics, management)
 - Photos
- Ground truth dataset (around 10,000 points)
- User will build their own added value:
 - Context (local, regional, statewide)
 - Management options
 - Conservation opportunity areas
 - Ecological significance and risk (riverine/aquatics as well)
 - Species habitat modeling
 - Development of educational and interpretive materials
 - Change detection

Representative Edwards Plateau Mapped Vegetation



Interpretive Booklet

Products/Enduring Value

- Potential natural vegetation
- Existing vegetation using an improved classification
- Interpretive Booklet
 - Topo-sequences / landscape profiles of potential and existing vegetation
 - Interpretation of the current land cover (e.g. dynamics, management)
 - Photos
- Ground truth dataset (around 10,000 points)
- User will build their own added value:
 - Context (local, regional, statewide)
 - Management options
 - Conservation opportunity areas
 - Ecological significance and risk (riverine/aquatics as well)
 - Species habitat modeling
 - Development of educational and interpretive materials
 - Change detection

Google Earth

The screenshot displays the Google Earth desktop application. The main map shows a satellite view of the Bastrop area in Louisiana, with a yellow boundary outlining a specific region. A popup window is open over a point labeled '419', displaying the following data:


419

- SampleDate = 11/6/2007
- TeamLead = Amie Treuer
- SiteID = 419
- PhotoID = 419
- EcoSysName = Post Oak Savanna: Post Oak / Redcedar Motte and Woodland
- EcoSysConf = Medium
- LandCover = EG Mixed Forest
- Woody_PC = 76-100
- BLEG_PC =
- CEG_PC = 26-50
- Tree_PC = 76-100
- Shrub_PC = 26-50
- Herb_PC = 6-25
- Tree_1 = Quercus stellata
- Tree_2 = Juniperus virginiana
- Tree_3 = Pinus taeda
- Shrub_1 = Ilex vomitoria
- Shrub_2 = Quercus marilandica
- Shrub_3 = Juniperus virginiana
- Herb_1 = Dichanthelium sphaerocarpon
- Herb_2 = Schizachyrium scoparium
- Herb_3 = Aristida desmantha
- Soil_Tex = Sandy
- Soil_Color = Red
- Notes =

Directions: [To here](#) - [From here](#)

The interface includes a search bar at the top left, a 'Places' panel on the left with 'My Places' containing 'Sierra Tinaja Pinta Mtns.kmz' and 'Bastrop_SP.kmz', and a 'Layers' panel at the bottom left with 'Earth Gallery' and 'Primary Database'. The bottom status bar shows the location as 30°08'14.11" N, 97°15'21.32" W, elevation 555 ft, and an eye alt of 11.47 mi.

Google Earth



Web Application

TEXAS PARKS AND WILDLIFE

Regulations Publications Outdoor Learning Kids Game Warden Grants Get Involved Shop FAQ Calendar Español

Life's Better Outside® Fishing & Boating State Parks & Destinations Hunting & Wildlife Land & Water Doing Business

Legend

Counties

TES (Images)

TES (Vectors)

SSURGO

[Clear Identify Markers](#)

Zoom Level: 16

Go To:

Login

Disclaimer

Map

Hybrid

Tooltip Report

Map Extent Legend

SSURGO **TES**

[Clear highlights](#)

Query Results

Symbol	Name
	Blackland Prairie: Disturbance or Tame Grassland
	Central Texas: Floodplain Hardwood / Evergreen Forest
	Central Texas: Floodplain Hardwood Forest
	Central Texas: Floodplain Herbaceous Vegetation
	Central Texas: Riparian Hardwood / Evergreen Forest
	Central Texas: Riparian Hardwood Forest
	Edwards Plateau: Ashe Juniper / Live Oak Shrubland
	Edwards Plateau: Ashe Juniper Motte and Woodland
	Edwards Plateau: Ashe Juniper Slope Forest
	Edwards Plateau: Deciduous Oak / Evergreen Motte and Woodland
	Edwards Plateau: Floodplain Ashe Juniper Forest
	Edwards Plateau: Floodplain Hardwood / Ashe Juniper Forest
	Edwards Plateau: Floodplain Hardwood Forest
	Edwards Plateau: Floodplain Herbaceous Vegetation
	Edwards Plateau: Live Oak Motte and Woodland
	Edwards Plateau: Oak / Ashe Juniper Slope Forest
	Edwards Plateau: Oak / Hardwood Motte and Woodland
	Edwards Plateau: Oak / Hardwood Slope Forest
	Edwards Plateau: Riparian Ashe Juniper Forest
	Edwards Plateau: Riparian Hardwood / Ashe Juniper Forest
	Edwards Plateau: Savanna Grassland
	Native Invasive: Deciduous Woodland
	Native Invasive: Juniper Shrubland
	Open Water
	Post Oak Savanna: Post Oak / Yaupon Motte and Woodland
	Post Oak Savanna: Post Oak Motte and Woodland
	Post Oak Savanna: Savanna Grassland
	Urban High Intensity
	Urban Low Intensity

Web Application

Edwards Plateau:Riparian Mixed Forest

Lost Maples State Natural Area

Ecological System: Edwards Plateau Riparian

Common Name: Edwards Plateau: Riparian Hardwood/Ashe Juniper Forest

Description of the Ecological System:
According to the "Texas Ecological Systems Phase 1 Interpretive Guide", Ashe Juniper and plateau live oak trees frequently dominate this mixed forest. Cedar elm, American sycamore, green ash, and sugar hackberry are also common.

Description of Location 2/19/2008:

This particular site is dominated by American sycamore, little walnut, and ashe juniper trees. The undergrowth shrubs consist of Ashe juniper, American sycamore, and Texas mountain-laurel. Herbaceous species include Jamaica swamp sawgrass and saw greenbrier.

[Texas Parks and Wildlife Department Ecological Systems Classification Project](#)



Data Collection and Photograph by: Amie Treuer



Diamond, David, and Lee Elliot. Texas Ecological Systems Project Phase 1 Interpretive Booklet. Interpretive Guide, Texas Parks and Wildlife Department, Missouri Resource Assessment Partnership, 2010, 139.

TEXAS PARKS AND WILDLIFE

Regulations Publications Outdoor Learning Kids Game Warden Grants Get Involved Shop FAQ Calendar Español

Life's Better Outside® Fishing & Boating State Parks & Destinations Hunting & Wildlife Land & Water Doing Business

Hybrid

shift + drag to define zoom rectangle

Tooltip Report

Map Extent Legend

SSURGO TES

Clear highlights
Query Results

Symbol

- Blackland Prairie: Disturbance or Tame Grassland
- Central Texas: Floodplain Hardwood / Evergreen Forest
- Central Texas: Floodplain Hardwood Forest
- Central Texas: Floodplain Herbaceous Vegetation
- Central Texas: Riparian Hardwood / Evergreen Forest
- Central Texas: Riparian Hardwood Forest
- Edwards Plateau: Ashe Juniper / Live Oak Shrubland
- Edwards Plateau: Ashe Juniper Motte and Woodland
- Edwards Plateau: Ashe Juniper Slope Forest
- Edwards Plateau: Deciduous Oak / Evergreen Motte and Woodland
- Edwards Plateau: Floodplain Ashe Juniper Forest
- Edwards Plateau: Floodplain Hardwood / Ashe Juniper Forest
- Edwards Plateau: Floodplain Hardwood Forest
- Edwards Plateau: Floodplain Herbaceous Vegetation
- Edwards Plateau: Live Oak Motte and Woodland
- Edwards Plateau: Oak / Ashe Juniper Slope Forest
- Edwards Plateau: Oak / Hardwood Motte and Woodland
- Edwards Plateau: Oak / Hardwood Slope Forest
- Edwards Plateau: Riparian Ashe Juniper Forest
- Edwards Plateau: Riparian Hardwood / Ashe Juniper Forest
- Edwards Plateau: Savanna Grassland
- Native Invasive: Deciduous Woodland
- Native Invasive: Juniper Shrubland
- Open Water
- Post Oak Savanna: Post Oak / Yaupon Motte and Woodland
- Post Oak Savanna: Post Oak Motte and Woodland
- Post Oak Savanna: Savanna Grassland
- Urban High Intensity
- Urban Low Intensity

Products/Enduring Value

- Potential natural vegetation
- Existing vegetation using an improved classification
- Interpretive Booklet
 - Topo-sequences / landscape profiles of potential and existing vegetation
 - Interpretation of the current land cover (e.g. dynamics, management)
 - Photos
- Ground truth dataset (around 10,000 points)
- User will build their own added value:
 - Context (local, regional, statewide)
 - Management options
 - Conservation opportunity areas
 - Ecological significance and risk (riverine/aquatics as well)
 - Species habitat modeling
 - Development of educational and interpretive materials
 - Change detection

Questions?

